	Application No.	Applicant(s)
Notice of Allowability	10/091,596	PETERSSON ET AL.
	Examiner	Art Unit
	THUAN T. NGUYEN	2618
The MAILING DATE of this communication appe		1
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. X The allowed claim(s) is/are 1-6,9,24-26,29-33,35 and 37.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No.		
<ol> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol>		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s)	5	Defend Application
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	5. Notice of Informal F	• •
2. Involce of Dransperson's Patent Drawing Review (P10-946)	6. ☐ Interview Summary Paper No./Mail Da	te .
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7.   Examiner's Amendi	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
· · · · · · · · · · · · · · · · · · ·	9.  Other	

# **DETAILED ACTION**

#### Remark

1. Claims 7-8, 10-23, 27-28, 34, and 36 have been previously cancelled, and claims 1-6, 9, 24-26, 29-33, 35, and 37 are pending for reconsideration.

# Allowable Subject Matter

2. Claims 1-6, 9, 24-26, 29-33, 35, and 37 have been allowed.

## Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

The prior art of record issued to Schick and Hoenninger, III either alone or combine fail to teach or suggest each and every feature of the present invention as claimed in claims 1, 24 and 30 for an apparatus and its corresponding method, the apparatus comprising a mixer for mixing a received signal and a local oscillator signal and generating an analog, frequency converted signal, and an analog-to-digital converter for converting the analog, frequency-converted signal into a corresponding digital signal, wherein the apparatus is used in a receiver without a filter between the mixer and the analog-to-digital converter, and wherein a frequency of the local oscillator signal is set in relation to a frequency of a sampling rate of the analog-to-digital converter to avoid aliasing in a desired receive band.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/091,596

Art Unit: 2618

## Conclusion

Page 3

4. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231

or faxed to the New Central Fax number:

(571) 273-8300, (for Technology Center 2600 only)

Hand deliveries must be made to Customer Service Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Thuan Nguyen whose telephone number is (571) 272-7895. The examiner can normally be reached on Monday-Friday from 10:00 AM to 7:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban, can be reached at (571) 272-7899.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tony T. Nguyen Primary Examiner Art Unit 2618

Lynghan

TTN January 3, 2008